

# Discharge Instructions for COVID-19 inpatients

Discharge date \_\_\_\_\_  Viral Test Pending  Results Known- Positive

## Instructions (pending test instructions are same as positive until result is negative)

- 1. Stay home.** Try not leave your home, except to get medical care, until your healthcare provider says it is OK (negative test result). Do not go to work, school, or public areas, and do not use public transportation.
- 2. Separate yourself from other people.** As much as possible, stay in a different room from other people in your home. If possible, use a separate bathroom. If you must be in the same room as other people, wear a facemask to prevent spreading germs to others.
- 3. Before you visit your doctors, let them know.** Call ahead before visiting your doctor so they can prepare for your visit and know that you may have COVID-19.
- 4. Cover coughs and sneezes.** To prevent spreading germs to others, when coughing or sneezing cover your mouth and nose with a tissue or your sleeve. Throw used tissues in a lined trash can, and immediately wash hands with soap and water.
- 5. Keep hands clean.** Wash hands often and thoroughly, especially after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food. Use soap and water for at least 20 seconds. Use hand sanitizer with at least 60% alcohol if soap and water are not available and if hands are not visibly dirty. Avoid touching eyes, nose, and mouth with unwashed hands.
- 6. Avoid sharing household items.** Do not share dishes, drinking glasses, cups, eating utensils, towels, bedding, or other items with other people or pets in the home. These items should be washed thoroughly after use with soap and warm water.
- 7. Monitor illness.** If your illness gets worse seek medical care. Try to call ahead and wear a face mask. Put on a facemask before you enter any facility. If you have life-threatening symptoms (for example, trouble breathing, pain in chest), call 911. If possible, put on a facemask before emergency medical services arrive.
- 8. Breastfeeding.** If you are breastfeeding or feeding breastmilk to your baby, follow your healthcare provider's recommendations. Information is available at [www.cdc.gov/coronavirus/2019-ncov/prepare/pregnancy-breastfeeding.html](http://www.cdc.gov/coronavirus/2019-ncov/prepare/pregnancy-breastfeeding.html).

**These recommendations should be followed until your tests show that you do not have COVID-19, or you are told by Public Health or your health care provider that they are no longer infectious.**



## Information for Caregivers, Intimate Partners, and Household Members

People who live with or provide home care for suspect or confirmed COVID-19 patient at home should:

- 1. Be informed.** Make sure that you understand and can help the patient follow their healthcare provider's instructions for medication(s) and care.
- 2. Limit visitors to only people caring for the patient.**
  - As much as possible, anyone who is not caring for the patient should stay in another home or stay in other rooms. They should also use a separate bathroom if possible.
  - Keep elderly people and those who have weak immune systems or chronic health conditions away from the person. This includes people with diabetes, chronic heart or lung or kidney conditions.
- 3. Make sure that shared spaces in the home have good air flow.** Open windows or use an air conditioner if possible.
- 4. Wash hands.** People in the home should wash their hands often and thoroughly with soap and water for at least 20 seconds, especially before eating or after using the bathroom. Use an alcohol-based hand sanitizer if soap and water are not available and if your hands are not visibly dirty. Avoid touching your eyes, nose, and mouth with unwashed hands.
- 5. Wear disposable personal protective equipment (PPE)** e.g, facemask and gloves when you touch or have contact with the patient's blood, body fluids and/or secretions, such as sweat, saliva, sputum, nasal mucus, vomit, urine, or diarrhea. Throw these away after use and do not reuse. When removing PPE, first remove and dispose of gloves. Then, immediately clean your hands with soap and water or alcohol-based hand sanitizer. Next, remove and dispose of facemask, and immediately clean your hands again with soap and water or alcohol-based hand sanitizer.
- 6. Avoid sharing household items.** Do not share dishes, drinking glasses, cups, eating utensils, towels, bedding, or other items the patient. Follow the cleaning instructions below.
- 7. Clean all "high-touch" surfaces,** such as counters, tabletops, doorknobs, bathroom fixtures, toilets, phones, keyboards, tablets, and bedside tables, every day using household disinfectants. Also, clean any surfaces that may have blood, body fluids and/or secretions or excretions on them.

## Cleaning Instructions

- Follow the recommendations provided on cleaning product labels including precautions you should take when applying the product, such as wearing gloves or aprons and making sure you have good ventilation during use of the product.
  - Use a diluted bleach solution or a household disinfectant with a label that says "EPA-approved."
  - Wash laundry thoroughly.
  - Immediately remove and wash clothes or bedding that have blood, body fluids and/or secretions or excretions on them.
  - Wear disposable gloves while handling soiled items. Wash your hands immediately after removing your gloves.
  - Read and follow directions on labels of laundry or clothing items and detergent. In general, wash and dry with the warmest temperatures recommended on the clothing label.
  - Place all used disposable gloves, gowns, facemasks, and other contaminated items in a lined container before disposing them with other household waste. Wash your hands immediately after handling these items.
- 8. Monitor the patient's illness.** If they are getting sicker, call their medical provider and tell the medical staff that the person has, or is being evaluated for, novel coronavirus infection. This will help the healthcare provider's office take steps to keep other people from getting infected.
- 9.** It is important to note that caregivers and household members who do not follow these instructions when in close contact with the patient may be considered to be "close contacts" and should monitor their health. Below is information for close contacts.

## Information for Close Contacts of COVID-19 patients

If you have had close contact with someone who is confirmed to have, or being evaluated for COVID-19, you should:

1. **Monitor your health.** Start from the day you first had close contact with the patient and continue for 14 days after you last had close contact with the person. Watch for these signs and symptoms:

- Fever. Take your temperature twice a day.
- Coughing.
- Shortness of breath or trouble breathing.
- Other early symptoms to watch for are chills, body aches, sore throat, headache, diarrhea, nausea/vomiting, and runny nose.



FEVER



COUGH



TROUBLE  
BREATHING

If you develop fever or any of these symptoms, call your healthcare provider right away and let them know about being a close contact to a patient with confirmed or suspected COVID-19 so they can prepare for your visit. Ask your healthcare provider to call the local or state health department.

2. If after 14 days you do not have any symptoms, you can continue with your daily activities, such as going to work, school, or other public areas.