

Infusion Therapy Order

Patient Name: _____ Date of Birth: _____

Address: _____ Height: _____ Weight: _____

Phone: _____ Allergies: _____

Primary Diagnosis: _____ ICD-10 Code: _____

Requested Infusion Start Date: _____ Frequency: _____

Infusion Location: _____ Duration: _____

Insurance Authorization: _____

Prescriber Information:

Prescriber Name: _____ NPI: _____

Address: _____

Phone: _____ Fax: _____

Prescriber Signature: _____

*****Please use a single line and mark through any orders you do not want if it is pre-checked...The Appointment request is required, but make edits to the Interval and Duration as needed...Please add any additional orders on the last page*****

SJH THERAPEUTIC PHLEBOTOMY - HEMOCHROMATOSIS

version 9/13/2022

Appointment Request

		Interval	Defer Until	Duration
☒	SJH ONCBCN THERAPY INF APPOINTMENT REQUEST (60 MIN)			
☒	Infusion Appointment Request	1 time a week	S	4 treatments

Status: Future, Expected: S Approximate, Expires: S+365, Sched. Duration: 60 minutes, Sched. Tolerance: Schedule appointment at most 2 days before or at most 2 days after

Appointment Request (continued)

Labs

		Interval	Defer Until	Duration
☒	SJH ONCBCN LAB IRON STUDIES (CBC OR CBC 3 PART) LOCATION SPECIFIC RULE			
☒	Iron and TIBC No details available for preview	1 time a week	S	4 treatments
☒	Ferritin No details available for preview	1 time a week	S	4 treatments
☒	Reticulocyte count No details available for preview	1 time a week	S	4 treatments
☐	CBC with Automated Diff No details available for preview	1 time a week	S	4 treatments
☐	CBC Auto Diff 3 Parts Selection Condition: Lab location - SJH Oncology - Not London or Corbin	1 time a week	S	4 treatments
☒	Iron, serum No details available for preview	1 time a week	S	4 treatments
☒	Vitamin B12 Selection Condition: Lab location - SJH Oncology - Corbin	1 time a week	S	4 treatments
☒	Folate No details available for preview	1 time a week	S	4 treatments
	No details available for preview			

Nursing Communication

		Interval	Defer Until	Duration
☒	SJH ONCBCN NURSING COMMUNICATION THERAPEUTIC PHLEBOTOMY - HEMOCHROMATOSIS			
☒	Nursing Communication	1 time a week	S	4 treatments

Nursing Communication (continued)

		Interval	Defer Until	Duration
Phlebotomy x 4 weekly as long as Hematocrit 37 or above and % saturation of Iron/Ferritin above 50, slowly decrease duration of weekly checks.				
☒	SJH ONCBCN NURSING COMMUNICATION THERAPEUTIC PHELBOTOMY - REMOVE BLOOD			
☒	Nursing Communication	1 time a week	S	4 treatments
Remove 1 unit of blood.				

Post-Hydration

		Interval	Defer Until	Duration
☒	SJH ONCBCN HYDRATION SODIUM CHLORIDE 0.9 (NS) 250 ML THERAPY			
☒	sodium chloride 0.9% (NS) infusion	1 time a week	S	4 treatments
500 mL, intravenous, at 250 mL/hr, Once, Starting 15 minutes after treatment start time Give after 1st treatment and as needed during future treatments.				